

Zypad WL 11XX

- Lighweight wearable computer for hands-free operation
- Built-in wireless communications capabilities
- Standard operative systems



FEATURES

User Friendly operating system - The WL 11XX can be supplied with Windows CE 6.0 or Linux.

Ergonomic Design – Designed to comfortably fit the user's wrist for hands free operations.

Wireless Radio Design – Integrated PAN (Bluetooth, ZigBee) and LAN (IEEE 802.11 b/g).

Multiple I/O – Integrated USB Device and USB Master ports.

320x240 (1/4 VGA) High Visibility 65k Color Display with Touch Screen and Automatic Contrast Adjust. The user comfortably views data and images.

High Performance CPU and Memory System - 128MB Flash and 128MB RAM. Even complex applications can be run on the device.

Enhanced Power Management - Based on Li-lon cells, allows maximum operating time and saves energy when the operator does not use the computer (patented).

GPS – The integrated receiver and antenna allow the users to easily take advantage of a navigation system and to geographically reference the data sent over the wireless network.

The ZYPAD WL 11XX Wrist Worn Personal Computer is a powerful computing device designed to be worn comfortably on the user's wrist for hands-free operation.

The wearability and hands-free operation of the ZYPAD prevents it from being dropped while in use and overcomes the physical limitations associated with normal hand-held computers.

From its original concept the ZYPAD WL 11XX has been designed to be as flexible as possible maximizing its potential application areas. The ZYPAD's lightweight, versatile and completely hands-free convenience makes it of special interest to Logistics, Emergency Services, Security, Defense, Healthcare, Maintenance and any area where hands-free access to large amounts of information is necessary.

The ZYPAD WL 11XX solidifies the concept of ubiquitous computing by integrating all the power and capabilities expected from a full size PC within an extremely versatile device. The design allows for flexible ergonomic positioning and easy fastening to the arm, even over the users work clothes, thus ensuring ideal weight distribution and maximum comfort.

The ZYPAD WL 11XX can be quickly configured to access any remote host system through its integrated wired or wireless interfaces using either Linux and Windows CE operating systems. Information can be shared and services accessed regardless of location.

The system integrates the latest and most innovative features which detects the position of the user's arm and sets the system to standby mode when the arm is hanging down beside the body.



Zypad WL 11XX

Specifications











Industrial Design by Lineaguida ►

System Architecture

PROFESSOR					
PROCESSOR MEMORY	PXA270@400MHz 128MB RAM - 128MB Non Volatile Flash				
DISPLAY	320x240 pixels (1/4 VGA) 65K Color 3.5" TFT with Touch Screen				
	Automatic contrast adjust via ambient light sensor				
LED	1 Power On / Charge LED				
	1 WLAN Activity LED				
	1 WPAN Activity LED				
AUDIO	Integrated				
1/0	1 USB Client				
	1 USB Host				
	Audio Jack In/Out				
WPAN	Bluetooth Class 2 v1.2 (up to 10 meters), ZigBee (optional)				
WLAN	Integrated IEEE 802.11b/g with internal antenna				
WWAN	External via Bluetooth				
GPS	High sensitivity receiver with integrated antenna				
RFID	Integrated transceiver and antenna, Meets ISO 15693-14443A@13.56MHz (optional)				
OTHER DEVICES	Accelerometer (linear)				
EXPANSION SLOTS	1 user accessible Mini SD				
KEYBOARD	11 keys – backlight				
POWER	3.6 V 2200mAh Li-Ion Interchangeable Battery Pack				
	Advanced Power Management Features (patented)				
BATTERY CHARGING	External universal power supply				
	Multiple battery charger				
	USB cable connected to a PC				
	Via car cigarette lighter power supply				
PEN DEVICE	Integrated stylus connected to the device				
OPERATING SYSTEM	Windows CE 6.0				
	Linux based on Kernel 2.6				
APPLICATION DEVELOPMENT	Windows: Microsoft Platform Builder & EuroTech SDK for CE				
	Linux: Eurotech SDK for Kernel Linux 2.6				
OPERATING TEMPERATURE	-10° C to $+50^{\circ}$ C				
STORAGE TEMPERATURE	-20°C to +50°C				
HUMIDITY	95% relative humidity non condensing				
ENVIRONMENTAL	Water Resistant				
REGULATORY APPROVALS	EU/USA/CANADA – R&TTE				
WEIGHT	290g (battery included)				
HEIGHT	ESOB (partor) moladod)				

Accessories

POWER	Universal Power Supply			
	Multiple Battery Charger			
	Vehicle (cigarette lighter) Battery Charger			
	High capacity battery pack			
DISPLAY PROTECTION	Display Protective Film pack			
CABLES	USB Host cable			
	Y-USB client cable (USB + Power)			
AUDIO	Headset (cabled)			
	Bluetooth Headset (wireless)			
BARCODE	Wearable ring scanner for 1D barcodes			
	Wearable ring scanner for 2D barcodes (high capacity battery pack is also required)			
PROTECTIVE COVER	IP54 protective rubber case			

WL 11XX Models

			000	DEID	7. D
	Wi-Fi	Bluetooth	GPS	RFID	ZigBee
WL1100	•	•	•		
WL1110	•	•		•	
WL1120	•		•		•
WL1130	•	•			

Note: The information in this document is subject to change without notice and should not be construed as a commitment by EUROTECH. While reasonable precautions have been taken, EUROTECH assumes no responsibility for any error that may appear in this document. All trademarks or registered trademarks are the properties of their respective companies.



North America sales.na@eurotech.com

Europe, Middle East and Africa sales.emea@eurotech.com

Latin America sales.la@eurotech.com

Asia Pacific sales.ap@eurotech.com ETH_Zypad WL11XX_DS_06/2011

For your local contact please refer to: www.eurotech.com/contacts